

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 0	1	"20030023957"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 11:10
S10 1	1	"20040177359"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 11:13
S10 2	769	717/116,117,140.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 11:23
S10 3	2	web near service same variable\$1 same declare\$1 same (call\$1back or respon\$4 or return\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/09 14:17
S10 4	4	(web near service\$1) and (call\$back or respon\$3 or return\$3) same compil\$3 same client\$1 near2 proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 11:47
S10 5	15	(web near service\$1) and compil\$3 same generat\$3 same client\$1 with proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 11:59
S10 6	23	(web near service\$1) and compil\$3 same generat\$3 same client\$1 with (prox\$3 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 11:59
S10 7	22	(web near service\$1) and compil\$3 same generat\$3 same client\$1 near5 (prox\$3 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 12:11
S10 8	2473091	(web near service\$1) and compil\$3 same generat\$3 same (client\$1 near5 (prox\$3 or stub\$1)) or meta\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 12:11
S10 9	60	(web near service\$1) and compil\$3 same generat\$3 same ((client\$1 near5 (prox\$3 or stub\$1)) or meta\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 11:25
S11 0	118	(web near service\$1) and compil\$3 same ((client\$1 near5 (prox\$3 or stub\$1)) or meta\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/01 12:11
S11 1	13	(web near service\$1) and (generat\$3 same (client\$1 near5 (prox\$3 or stub\$1)) same (address or URL\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 11:34

S11 2	40	(web near service\$1) and (generat\$3 same client\$1 same (prox\$3 or stub\$1) same (address or URL\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 11:35	
S11 3	30	S112 and @ay <= "2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 12:16	
S11 6	1	("6615256").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 12:35	
S11 7	1	("6681310").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 12:37	
S11 8	1	("6553387").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 12:38	
S11 9	1	("6057847").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 12:38	
IDS	S12 0	((("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 18:02	
IDS	S12 1	((("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 09:49	
	S12 2	5	S120 and state\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 18:03
	S12 4	7	S121 and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/03 18:05
	S12 5	3774	(prox\$3 or stub\$1) with interface\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 09:25
	S12 6	5	((("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 12:05

S12 7	10	(("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 12:05
S12 8	3	S126 and queue\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 12:24
S12 9	250	"1" and (queue\$1 same compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 12:24
S13 0	5	(("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 12:25
S13 1	0	S130 and (queue\$1 same compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 12:25
S13 2	5	(("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 13:55
S13 3	10	(("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 13:55
S13 4	2	S132 and parse\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 13:56
S13 5	7	S133 and pars\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 14:06
S13 6	9	S133 and stor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 14:06
S13 7	5	(("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:19

S13 8	10	(("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:19
S13 9	0	S137 and GUID	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:20
S14 0	0	S138 and GUID	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 15:20
S14 1	5	(("5812768") or ("6070184") or ("6209018") or ("6230160") or ("6253252")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 08:50
S14 2	10	(("20010029604") or ("20010047385") or ("20020073236") or ("20020099738") or ("20020184264") or ("5970490") or ("6226675") or ("6314429") or ("6404445") or ("6449620")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 08:50
S14 3	48	(map\$3 or convert\$3) same xml same bean\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 11:05
S14 4	4	synchronous and ((map\$3 or convert\$3) same xml same bean\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:29
S14 5	71	(map\$3 or convert\$3) same (xml or HTML) same bean\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 11:07
S14 6	40	(map\$3 or convert\$3) same (xml or HTML) with bean\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 11:07
S14 7	1	"5943674".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/06 13:22
S14 8	8147	(attach\$3 or append\$3) with parameter\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/09 14:18

S14 9	3077	web near service and (call\$1back or respon\$4 or return\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/09 14:17
S15 0	40	S148 and S149	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/09 14:17
S15 1	815	(attach\$3 or append\$3) with parameter\$1 same (callback\$1 or respon\$3 or return\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/09 14:19
S15 2	17	(web near service\$1) and S151	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/09 14:19